

DEU1008 Disk Enclosure

Overview

DEU1008, with high performance, high reliability, high density, high scalability, is an affordable high-level disk enclosure developed especially for video surveillance.



DEU1008


Features

- High density
The innovative enclosure with 530.4mm depth and 2U height that holds up to 8 disks, is space-saving and applicable to the standard rack-mounted scenarios.
- Power protection
Disk powered on sequentially during system startup, protection from impulse current.
- Multistage fan speed and energy saving
Fans with multistage speed are configured in the hot-swappable frame in redundancy mode. System power consumption can be balanced intelligently with heat dissipation calculation to ensure low power consumption and stable operation of the system.


Specifications

	DEU1008
Storage	
HDD	8 SATA Interfaces
Disk Capacity	up to 8TB for each disk
External Interface	
Back-end Expansion Interface	1 Mini SAS
General	
Power Supply	100 ~ 240V
Consumption (with HDD)	≤ 100W
Working Environment	-10 °C~ 55 °C 5%~95% RH (non-condensing)
Weight(Without HDD)	< 8 kg(17.6lb)
Dimensions (W×D×H)	442.0 × 530.4 × 86.1mm (17.4" × 20.88" × 3.39")

Dimensions



Rear Panel



No.	Item	Description
①	Grounding terminal	Equipment grounding
②	Power interface	AC power, 100 V-240 V AC
③	Power switch	Turn on/off device when connected to power
④	Mini-SAS interface	For connection to the host

Zhejiang Uniview Technologies Co., Ltd.

Building No.10, Wanlun Science Park, Jiangling Road 88, Binjiang District, Hangzhou, Zhejiang, China

Email: overseasbusiness@uniview.com; globalsupport@uniview.com

<http://sgcdn.uniview.com>

©2016 Zhejiang Uniview Technologies Co.,Ltd. All rights reserved.

*Product specifications and availability are subject to change without notice.